



Ceratherm Navigo®

POWERING THE EVERYDAY



Ideal Standard


Where it all comes together.

From inspiration to installation, Singular™ is our end-to-end journey for creating endless cross-category washroom and bathroom solutions for all of our customers.

It's built on our understanding of customer and sector needs, and brings together our specification expertise, design and performance to create solutions that make life easier for everyone.



◀ Idealrain
Stick hand
shower




Singular™
from Ideal Standard



◀ Idealrain
Shower head

◀ Ceratherm Navigo®
2 outlets

When design meets performance.



Curating the perfect shower experience relies on a combination of comfort, performance and style. Ideal Standard's Ceratherm collection of thermostatic shower mixers is now available with our innovative Navigo® technology, allowing users to control their shower at the touch of a button.



Engineered for control.

Navigo® technology let's you control your showering experience with one smooth push of a button. The sleek innovative system provides ultimate control over water flow and temperature, making every single shower a perfect one.

Navigo® allows you to operate your shower with one simple push-and-turn movement:

Pushing the control knob starts or stops the shower.

Turning the dial allows for precise control of water flow.

Experience hand-spray and overhead rain-shower simultaneously.

Ergonomically designed metal handles featuring easy-grip grooves.

Slim faceplate made of metal for long-term durability.


FirmaFlow® Therm thermostatic cartridge offering precise temperature control.



Discreet shower option symbols on top of the control knobs for an intuitive operation

One smooth push-and-turn movement to control the water flow at your preselected temperature

Slim and sleek design: 10mm only



40°C safety button to prevent scalding

Precise and consistent temperature settings

A range of choices with Navigo®.

Built-in thermostatic bath & shower mixer



Code A7295AA



Code A7295A5



Code A7295GN



Code A7295A2



Code A7296AA



Code A7296A5



Code A7296GN



Code A7296A2



Code A7301AA



Code A7301A5



Code A7301GN



Code A7301A2



Code A7302AA



Code A7302A5




Code A7302GN



Code A7302A2

Our Singular™ concept allows you to create your own, individual bathroom solution.

Combine Ceratherm Navigo® with our wide range of products, knowing they will work together seamlessly, delivering cutting-edge matching design and long-lasting performance.



▲
Idealrain
Shower head

Idealrain
Stick hand shower set



Ceratherm Navigo®
2 outlets






The perfect combination.

To ensure flawless performance and an effortless installation of the Ceratherm Navigo® shower mixers, they have been combined with Ideal Standard's built-in installation technology - Easy-Box. First launched 10 years ago, Easy-Box is installed in about 800,000 bathrooms. So, you can be sure it delivers on its promise.

The hidden technology: Easy-Box.

Ideal Standard's flexible built-in unit simplifies the installation process and eliminates the need for any specific tools. Thanks to its innovative features, the Easy-Box can adapt to any project and installation type.





Smart features for an effortless installation.

Fixation holes

The conveniently-positioned holes facilitate mounting in all installation positions.

Functional unit

Retrofit service valves, integrated in all thermostats, optional accessory on SL.

Cable entry for electronic versions

Pipe connections 1/2"


The protruding connections facilitate the pipe attachment on most common sizes

Fixation feet

The fixation feet enable simple fixation and gradual depth adjustment (up to 22 mm variation in the unit, plus 35 mm with the feet)


Grooves

The grooves facilitate easier trimming of the protruding parts of the box.



Flushing device

Loosening the internal hexagonal screw releases the flushing device from the brass cross joint.



Cover

The cover contains a short installation guide (not shown in image) and an integrated spirit-level holder to facilitate alignment of the Easy-Box.



Support

The optimised spirit-level holder enables accurate and reliable positioning both horizontally and vertically.

Suitable for every project with Fast-Fix.

All our products are designed to meet the needs of our customers and make their life easier. That is why we have developed the Fast-Fix mounting system, offering advanced features that ensure installation is hassle-free and, above all, flexible. Whether it is in-wall, on-wall or in-front-of-the-wall installation, mounting on pre-carrier systems or on pre-fabricated cells, the Easy-Box adapts to any project.

1. Choose your type of installation



1. In-wall installation.



2. On-wall installation.



3. In-front-of-wall installation.



4. Installation on pre-carrier systems.



5. Installation on prefabricated cells.



6. Installation in stud walls (with bracket to be orderd separatly).

EASY-Box combines modern design with advanced technology.

2. Installation



1. On-wall installation. Connect the pipes.



2. Fix sealing fabric on ready plastered and pre-treated wall.



3. Rinse pipes using a pre-assembled flushing device.



4. Trim the protruding part of the box, turn off the water and disassemble the flushing device.



5. Assemble the function unit (thermostat or single lever body) from Kit 2 and verify watertightness.



6. Slide the plate support over the cartridge and the diverter and screw into the right position. Then mount the visible design parts.

100% waterproof.


The reliable Dicht-Fix system offers triple protection against water getting in or out of the built-in unit and therefore eliminates the risk of leakage behind the wall.

Intelligent manufacturing

The escutcheon is manufactured in a 2-component die-casting process. Direct injection moulding ensures that the joints remain perfectly watertight.




External waterproofing

The sealing fleece prevents water, coming from the shower space, to penetrate into the wall.



Internal waterproofing

Additional sealings around the protruding pipes prevent any water from leaking from the Easy-Box into the wall.



Construction protection

Solid plaster guard which protects the inside until final assembly.

Unlimited possibilities, one single solution.

The combination of our **Ceratherm Navigo® thermostatic mixers** and the **flexible in-built Easy-Box-Unit** offers a wide variety of solutions for you to choose from.

Whatever your project and installation requirements, **Easy-Box can adapt to your specific needs**, allowing you to create a durable and reliable showering solution.

Our **Ceratherm Navigo® shower mixers** are available in **four different finishes** and can be combined with Ideal Standard's matching shower accessories.

Finally, we offer a **wide range of taps and mixers** in the same **colour** ways, expertly crafted ceramic collections and beautifully designed furniture that enable you to create your one, **perfect bathroom solution**.





Greater flexibility.

The universal Easy-Box installation kit is also the perfect choice for Ideal Standard's wide range of two-handle and electronic thermostats as well as single lever mixers, offering more flexibility in bathroom design.

CERATHERM T100



Code A5813-- ● AA ● XG ● A5 ● GN ● A2



Code A5814-- ● AA ● XG ● A5 ● GN ● A2

CERATHERM C100




Code A6956-- ● AA ● XG ● A5 ● GN ● A2



Code A7522-- ● AA ● XG ● A5 ● GN ● A2

CERAPLUS ELECTRONIC



Code A6157AA



Code A6155AA

CERAPLUS



Code A6868AA




Code A6869AA



Endless options.

Our single lever bath and shower mixers are not only available in a wide variety of designs, shapes and finishes but also come with matching basin mixers, accessories and even ceramics.

JOY




Code A7382-- ● AA ● A5 ● GN ● A2



Code A7383-- ● AA ● A5 ● GN ● A2

CONCA



Code A7373-- ● AA ● A5 ● GN ● A2



Code A7374-- ● AA ● A5 ● GN ● A2

CONNECT AIR



Code A7034-- ● AA ● A5 ● GN ● A2



Code A7035-- ● AA ● A5 ● GN ● A2

CERAFINE O



Code A7349-- ● AA ● XG

CERALINE



Code A7388-- ● AA ● XG

CERAPLUS



Code A6724AA

Code A6725AA

Code A6865AA

Code A6866AA

CERAPLAN



Code BD254AA

Code BD263AA



Code A7389-- ● AA ● XG



CERAFINE D



Code A7347AA



Code A7348AA

TESI



Code A6585AA



Code A6586AA





Ideal Standard



Ideal Standard

Ideal Standard-Vidima AD

53 Marin Popov Street
5400 Sevlievo, Bulgaria
Tel: +359 675 30362
office@idealstandard.com

Representative Office, Bucharest

Calea Victoriei Nr. 109,
010069 Bucharest, Romania
Tel: +40 21 322 3201
Tel: +40 21 322 3202
OfficeBucharest@idealstandard.com

Representative office, Belgrade

Drinčićeva no.19, apartment no.8
11000 Belgrade, Serbia
Tel/Fax: +381 11 7138 058
Tel/Fax: +381 11 7138 059
OBelgrade@IdealStandard.com

Representative Office, Budapest

IS-Hun Kft
1094 Budapest, Hungary
Viola u 16-18
Tel: +36 30 6991 594
ZGarai@idealstandard.com

**Contact for Albania, Kosovo
and Bosnia & Herzegovina**

Tel: +359 887 709 696
IMichev@idealstandard.com

Contact for Croatia

Tel: +38591 22 99 304
HPavicic@idealstandard.com

Contact for Slovenia

Tel: +39 040 2158058
info@liaison.it

**Contact for Estonia,
Latvia & Lithuania**

Kęstučio g. 65-201
LT-08124 Vilnius, Lithuania
Tel: +37066739400
IJankauskas@idealstandard.com